

# Minibars



## About Tefcold

Founded in 1987 by a group of people with years of experience in the refrigeration industry, the objective of Tefcold was to develop, manufacture and distribute refrigerators and freezers of high quality for the global markets.

Our mission is to support our customers, and we have done this successfully for 25 years. We see ourselves as a reliable, solid supplier who is here to stay.

We believe that the best way to innovate is to listen to and cooperate with our customers, and we constantly aim to improve our product range as well as our services in order to be the supplier of choice in our line of business.

We believe in services making our products even better, and we understand that equipment can be urgently needed. You can always expect your orders to be handled immediately and with great care by our staff, and standard equipment can be delivered from our warehouses within a few days.

For several years Tefcold has been focusing on eco-friendly equipment in order to take active part in the reduction of the global energy consumption. The energy consumption of each of our products is constantly being reduced, and the up-to-date information can always be found on our website [www.tefcold.dk](http://www.tefcold.dk) along with all other technical info, spare parts lists, manuals etc.

The “green” products in our range are marked with this logo:



We hope you will enjoy our catalogue and look forward to cooperating with you.



## Minibars

The Tefcold minibars are available in three different sizes, two different colours as standard and with solid or glass door (black colour only). The absorption system ensures silent operation, and all models are supplied with key lock and internal LED light.



## » Minibars



Interior LED light



### TM50G Black

- Silent operation
- Interior LED light
- Low maintenance
- Low energy consumption
- Reversible glass door
- 2 adjustable shelves
- Automatic defrost
- Lock



#### TM30G Black

- Silent operation
- Interior LED light
- Low maintenance
- Low energy consumption
- Reversible glass door
- 1 adjustable shelf
- Automatic defrost
- Lock



#### TM40G Black

- Silent operation
- Interior LED light
- Low maintenance
- Low energy consumption
- Reversible glass door
- 2 adjustable shelves
- Automatic defrost
- Lock

## Technical specifications

Model	TM30G Black	TM40G Black	TM50G Black
Climate Class, N,SN,ST,T	N	N	N
Temperature Range, °C	5-12	5-12	5-12
Gross Volume, l	31	41	51
Net Volume, l	30	40	50
External Dimensions, WxDxH	402x420x500	402x452x560	402x452x670
Internal Dimensions, WxDxH	316x215x400	316x245x459	316x245x569
Doors	1 glass	1 glass	1 glass
Shelves/Baskets	1	2	2
Outer Body	Black	Black	Black
Interior	ABS, RAL7005	ABS, RAL7005	ABS, RAL7005
Castors/Feet	3 feet	3 feet	3 feet
Lock	Y	Y	Y
Voltage/Frequency, V/Hz	220-240/50-60	220-240/50-60	220-240/50-60
Input Power, W	60	60	90
Energy Consumption, kWh/24h	See <a href="http://www.tefcold.dk">www.tefcold.dk</a>	See <a href="http://www.tefcold.dk">www.tefcold.dk</a>	See <a href="http://www.tefcold.dk">www.tefcold.dk</a>
Gross Weight, kg	19	21,5	24
Net Weight, kg	17,5	18,5	20
Noise Level dbA	-	-	-
Type of Cooling	Absorbtion	Absorbtion	Absorbtion
Type of Defrost	Automatic	Automatic	Automatic
Controller	Mechanical	Mechanical	Mechanical
Thermometer	N	N	N
Refrigerant	NH3	NH3	NH3
Charge, g	70	72	80
Internal Light	LED	LED	LED



## » Minibars



### TM30 Black

- Silent operation
- Interior LED light
- Low maintenance
- Low energy consumption
- Reversible door
- 1 adjustable shelf
- Inner door shelf
- Automatic defrost
- Lock



Black cabinets with grey inner liner



Available in white with white inner liner



Available in brown with white inner liner

# Kälte-Berlin



## TM40 Black

- Silent operation
- Interior LED light
- Low maintenance
- Low energy consumption
- Reversible door
- 2 adjustable shelves
- Inner door shelves
- Automatic defrost
- Lock



## TM50 Black

- Silent operation
- Interior LED light
- Low maintenance
- Low energy consumption
- Reversible door
- 2 adjustable shelves
- Inner door shelves
- Automatic defrost
- Lock

## Technical specifications

Model	TM30 Black	TM40 Black	TM50 Black
Climate Class	N	N	N
Temperature Range, °C	2-12	2-12	2-12
Gross Volume, l	31	41	51
Net Volume, l	30	40	50
External Dimensions, WxDxH	402x420x500	402x452x560	402x452x670
Internal Dimensions, WxDxH	316x215x400	316x245x459	316x245x569
Doors	1 solid	1 solid	1 solid
Shelves/Baskets	1	2	2
Outer Body	Black	Black	Black
Interior	ABS, RAL7005	ABS, RAL7005	ABS, RAL7005
Castors/Feet	3 feet	3 feet	3 feet
Lock	Y	Y	Y
Voltage/Frequency, V/Hz	220-240/50-60	220-240/50-60	220-240/50-60
Input Power, W	60	60	60
Energy Consumption, kWh/24h	See <a href="http://www.tefcold.dk">www.tefcold.dk</a>	See <a href="http://www.tefcold.dk">www.tefcold.dk</a>	See <a href="http://www.tefcold.dk">www.tefcold.dk</a>
Gross Weight, kg	15	17,5	20
Net Weight, kg	13,5	14,5	16
Noise Level dbA	-	-	-
Type of Cooling	Absorbtion	Absorbtion	Absorbtion
Type of Defrost	Automatic	Automatic	Automatic
Controller	Mechanical	Mechanical	Mechanical
Thermometer	N	N	N
Refrigerant	NH3	NH3	NH3
Charge, g	70	72	80
Internal Light	LED	LED	LED